Monitor Mounting Solutions

CRT Under-Shelf Mounts



Suspension Arm



Suspension Truck



Type 2 Monitor Caddies, 40-002-100 mounted to Suspension Trucks

Mount a CRT monitor below a Suspension Shelf or Security Cabinet with a Suspension Arm or Truck. Both slide across a shelfs/cabinets underside track and provide monitor tilt and rotation. Arms also add 6" of height adjustment.

Part Number	Description	Weight Capacity	Horizontal Length (Pivot-point to pivot-point)
44-322-100	"A" Suspension Arm	15–35 lbs (6.8–16 kg)	13" (330 mm)
44-323-100	"B" Suspension Arm	35–65 lbs (16–30 kg)	13" (330 mm)
44-324-100	"C" Suspension Arm	65–100 lbs (30–45 kg)	13" (330 mm)
42-020-100	Suspension Truck	≤ 100 lbs (≤ 45 kg)	

Tilt / rotate adjustment: 20° / 360° **Vertical adjustment for Arms:** 6" (152 mm)

Order a Caddy along with a Suspension Arm or Truck. Choose a Caddy based on the size and weight of the monitor it will hold.

Part Number	Description	Height Adjustment	Monitor Depth*	Monitor Width*	Monitor Weight*
40-002-100	Type 2 Monitor Caddy	12"–15-1/2" (305–394 mm)	16-1/2" (419 mm)	— —	40 lbs (18 kg)
40-004-100	Type 3 Monitor Caddy	13-1/2"–18-1/2" (343–470 mm)	19" (483 mm)	— —	65 lbs (29 kg)
40-008-100	Type 4 Monitor Caddy	16-1/2"–22" (419–559 mm)	22" (559 mm)	— —	70 lbs (32 kg)
40-013-100	Type 5 Monitor Caddy	16-1/2"–22" (419–559 mm)	— —	16-1/4"** (413 mm)	120 lbs (54 kg)

* Monitor depth, width and weight specifications are all listed as maximum measurements.

** For wide-backed monitors; maximum rear monitor width is 16-1/4", measured 15" from front of monitor.

Type 2



Type 3



Type 4



Type 5



CRT Lift Arm





Desk Clamp and Grommet Mount Base

The 10" Lift Arm features height adjustability, swing and rotation for optimum ergonomic positioning. Quick-release tabs securely clamp the monitor in place. Optional Wire Keyboard Holders pull out for quick keypad access.

Part Number	Description	Weight Capacity	Attaches to...
44-343-100	10" Lift Arm	20–60 lbs (9.1–27.3 kg)	
60-257-100	Desk Clamp		Worksurface edge ≤ 3" (76 mm) thick
33-269-100	Grommet Mount		Worksurface through hole 3/8"–3-1/2" (10-89 mm) wide, ≤ 4" (102 mm) thick
75-064-009	Wire Keyboard Holder, 2" Drop		10" Lift Arm under platform
75-065-009	Wire Keyboard Holder, 4" Drop		10" Lift Arm under platform

Monitor Mounting Solutions

Flat Panel Under-Shelf Mounts



Ergotron's 400 Series Horizontal Mount Arm provides monitor height-adjustment, tilt, rotation, and portrait/landscape screen adjustment. The Arm suspends below a Suspension Shelf or Security Cabinet. Slide it along shelf's/cabinet's underside rack.

Part Number	Description	Weight Capacity
45-014-099	400 Series Arm, Horizontal Mount, Suspend Rotate, Double Pivot with P/L	23 lbs (10.4 kg)
42-021-100	Shelf Mount Truck	

Note: Monitor interfaces that are not VESA FDMI compliant require a separately ordered, adapter bracket. Contact your Sales Representative for more information.

Flat Panel Arms: Desk Mount

Desk Mounts attach to worksurfaces with either the Desk Clamp or the Grommet Mount. Desk Clamps attach to the edge of worksurfaces ≤ 2-1/8" (54 mm) thick. Grommet Mounts attach through a hole in the worksurface 3/8" to 3" (10 to 76 mm) wide, up to 4" (102 mm) thick. The DS100 Grommet Mount Base works with worksurfaces up to 3-1/4" (83 mm) thick. Free Standing bases require no bolting or clamping to surface. See the Flat Panel Monitor Mounting Solutions Orderguide (#870-03-005) for complete product offering.



Frame Mount Brackets

(For CRT and Flat Panel Monitors)

Arm Mount Kit, 60-233-100, with 12" CRT Arm attached to front of two LO3000 DuraFrames



Frame Brackets attach CRT Arms or Flat Panel Arms directly to the Frame.

Part Number	Description	Application
60-231-100	Arm Mount Kit	Mounts Arm to front of one LO3000 DuraFrame
60-230-100	Arm Mount Kit	Mounts Arm to inside of one LO3000 DuraFrame
60-233-100	Arm Mount Kit	Mounts Arm to front or inside of two LO3000 DuraFrames

Note: Use only with 0", 6", 10" & 12" CRT Arms or 200, 300, 400 Series Flat Panel Arms. See the CRT Orderguide (870-03-018), Flat Panel Monitor Mounting Solutions Orderguide (870-03-005), or consult your Ergotron Sales Representative.



Arm Mount Kit, 60-233-100, with 400 Series Arm attached to front of two LO3000 DuraFrames

CRT Arms:

0" Vertical Movement



6" Vertical Movement



10" Vertical Movement



12" Vertical Movement



Keyboard Mounting Solutions

Keyboard Holders, Trays & Arms



75-052-009



75-053-009

75-054-009



75-055-009

77-049-180



77-050-180



85-014-180



77-076-180



85-024-180



85-033, Wrist Rest

85-025-079, Mouse Pad



Articulating Keyboard Arm, Keyboard Tray w/ Sliding Mouse Tray, and Wrist Rest

Wire Keyboard Holders: Attach under Server Shelves or Monitor Caddies.

Part Number	Description	Dimensions W x D x H	Weight Capacity
75-052-009	Wire Keyboard Holder 2" drop, pull-out	12-7/8" x 23-1/2" x 4-1/2" (327 x 597 x 114 mm)	15 lbs (6.8 kg)
75-053-009	Wire Keyboard Holder 4" drop, pull-out	12-7/8" x 23-1/2" x 6-1/2" (327 x 597 x 165 mm)	15 lbs (6.8 kg)

Adjustable Keyboard Tray Holders: Use with separately-ordered Keyboard/Mouse Trays (see below). Attach under Server Shelves or Monitor Caddies.

Part Number	Description	Dimensions W x D x H	Weight Capacity
75-054-009	Adjustable Keyboard Tray Holder, 2.5" drop, pull-out	12-7/8" x 18-3/8" x 4" (327 x 467 x 102 mm)	15 lbs (6.8 kg)
75-055-009	Adjustable Keyboard Tray Holder, 5" drop, pull-out	12-7/8" x 18-3/8" x 7-1/2" (327 x 467 x 191 mm)	15 lbs (6.8 kg)

Keyboard/Mouse Trays & Accessories

Part Number	Description	Dimensions W x D x H	Use with...
77-001-100	Steel Keyboard/Mouse Tray	26" x 8-1/4" (660 x 210 mm)	75-052-009 or 75-053-009
77-049-180	Keyboard Tray	16-1/2" x 7-1/4" x 2" (419 x 184 x 51 mm)	75-054-009 or 75-055-009
77-050-180	Keyboard Tray w/ Sliding Mouse Tray & Wrist Rest Holder	17-1/2" x 9 to 12" x 2-1/2" (445 x 229 to 305 x 64 mm)	75-054-009 or 75-055-009
77-076-180	Keyboard Tray w/ Handle and Sliding Mouse Tray	17-1/2" x 12-1/2" x 3-3/8" (445 x 318 x 86 mm)	75-054-009 or 75-055-009
85-014-180	Front Mouse Tray	7-1/4" x 7-1/8" x 1" (184 x 181 x 25 mm)	77-049-180
85-024-180*	Sliding Mouse Tray & Wrist Rest Holder		77-049-180
85-033	Wrist Rest, black	19" x 3" (483 x 76 mm)	
85-010-087	Wrist Rest, grey, premium, easy-clean	19" x 3" (483 x 76 mm)	
85-025-079	Mouse Pad	7" x 7" (178 x 178 mm)	

* 85-024-180 converts 77-049-180 into 77-050-180.

Keyboard Arms & Tray: Arms offer full ergonomic adjustment.

Part Number	Description	Slide Track Length	360° Arm Rotation
75-037	Keyboard Arm, w/ Adjustment Knob	17-1/16" (433 mm)	no
75-038	Keyboard Arm w/ Adjustment Lever	16-13/16" (427 mm)	yes
75-039	Ext. Kybd. Arm (for Corner Systems), w/ Adjustment Lever	21-13/16" (554 mm)	yes
77-026-098	Keyboard & Mouse Tray for Keyboard Arm, black		
85-008-098	Wrist Rest, Tray Mount, for 77-026-098, black		

Cable Management

Quik-Touch® Cable Management



One-touch opens the channel section



70-068-099

Organize and route equipment cables with Ergotron's patented Quik-Touch. Individually hinged sections provide one-touch access to cables and wires along a non-conductive channel. Attach Quik-Touch to the DuraFrame, on the back of Shelves, or under the Worksurface.

Part Number	Description	Dimensions L x W x D
70-069-099	18" Quik-Touch Cable Management, grey	18" x 2" x 3" (457 x 51 x 76 mm)
70-068-099	24" Quik-Touch Cable Management, grey	24" x 2" x 3" (610 x 51 x 76 mm)
70-067-099	36" Quik-Touch Cable Management, grey	36" x 2" x 3" (914 x 51 x 76 mm)

Cable Channel Accessories



Quik-Touch Mounting Bracket (two), 97-004-100



30" Full-Length Quik-Touch Mounting Bracket, 60-268-100

Part Number	Description	Dimensions L x W x H	Application
97-004-100	Quik-Touch Mounting Bracket (two)	10" x 1-1/2" x 2" (254 x 38 x 51 mm)	Mounts Quik-Touch below Worksurface or to rear of lower Frame member
60-267-100	24" Full-Length Quik-Touch Mounting Bracket	24" x 3/8" x 2" (610 x 10 x 51 mm)	Mounts Quik-Touch anyplace on 24" Frame
60-268-100	30" Full-Length Quik-Touch Mounting Bracket	30" x 3/8" x 2" (762 x 10 x 51 mm)	Mounts Quik-Touch anyplace on 30" Frame
60-269-100	42" Full-Length Quik-Touch Mounting Bracket	42" x 3/8" x 2" (1067 x 10 x 51 mm)	Mounts Quik-Touch anyplace on 42" Frame
97-020	Cable Routing Kit (Clips, Ties)		Helps organize cables and wires in easy-to-identify groupings
97-048	Cable Identification Kit		Makes identification of cables easy

19" Rack Mount Brackets



19" Rack Mounting Brackets, 60-194-100

The 19" Rack Mount Brackets allow rack components to be mounted between a Frame's uprights. Extended Brackets allow rack components up to 15-1/2" deep to clear wall when mounted.

Part Number	Description	Mounts to Slots of…
60-194-100	19" Rack Mount Brackets	24" Frame
60-195-100	19" Rack Mount Brackets – Extended	24" Frame
60-110-100	19" Rack Mount Brackets	30" Frame
60-112-100	19" Rack Mount Brackets – Extended	30" Frame
60-111-100	19" Rack Mount Brackets	42" Frame
60-113-100	19" Rack Mount Brackets – Extended	42" Frame

Maximum number of 7" high Brackets: 77" (H) Frame = 10, 84" (H) Frame = 11

Number of Mounting Holes: 12

Distance Between Mounting Holes (ANSI): 18-5/16" (465 mm)

Note: One set of Hook Spacers required per set of Rack Mount Brackets

Monitor Drawers for 19" Racks



57-014-200



57-013-200



MD101 pulls out from storage position when needed. Monitor tilts up/down 180˚. Screen adjusts 360˚ portrait/landscape.



MD102 pulls out from storage position when needed. Holds monitor and keyboard.

Monitor Drawers (MD Series) securely integrate your flat panel monitor and/or keyboard into a 19" rack-mount frame or enclosure. Store your flat panel folded down horizontally, ready to be pulled out for viewing. The MD101 accepts monitors up to 17-1/4" W x 16-1/2" H x 3" D; the MD102 up to 17-1/4" W x 14-1/8" H x 3" D. Features quick and easy installation to front rails of rack – no rear-rail attachment necessary! The monitor and/or keyboard are not included so you get to choose the model and make that you want. Drawers require only 3U of rack space.

Part Number	Description	Max. Monitor Weight	Shipping Weight
57-014-200	MD Series, MD101 Monitor-Only Drawer, black	25 lbs (11.4 kg)	14 lbs (6.4 kg)
57-013-200	MD Series, MD102 Monitor/Keyboard Drawer, black	25 lbs (11.4 kg)	25 lbs (11.4 kg)

Note: Monitor interfaces that are not VESA FDMI compliant require a separately ordered, adapter bracket. Contact your Sales Representative for more information.



Rack Mount Solutions

19" Rack Add-on



The 19" Rack Add-on is a low-cost alternative to enclosures. It seamlessly integrates 19" components into new or existing LAN Organizer systems.

Part Number	Description	Dimensions W x D x H	Use with...
57-002-100	19" Rack Add-on 30" Wide, 14U*	19-1/2" x 27" x 26-3/8* (495 x 686 x 670 mm)	LO3000 30" Frame
57-004-100	19" Rack Add-on 30" Wide, 18U*	19-1/2" x 27" x 33-3/8* (495 x 686 x 848 mm)	LO3000 30" Frame
97-137-100	M6 Retainer Nuts (25)		
97-138-100	10/32 Retainer Nuts & Screws (25)		

* 14U @ 26" High, 18U @ 33" High (1U = 1-3/4"); 31 Retainer Nuts & Screws (#10-32) for mounting components to Rack are included. For extra screws and/or nuts, order Kits listed above.

Power Accessories

Task Lights



Add fluorescent light to your LAN Organizer configuration. Housing color is grey.

Part Number	Description
82-004-100	24" Task Light – mounts under Security Cabinets, Server and Suspension Shelves
82-005-100	33" Task Light – mounts under Security Cabinets, Server and Suspension Shelves

Note: Not compatible with 24"-Wide Shelves.

Note: Not recommended for use with Suspension Shelves and Security Cabinets that have a Monitor Mounting Solution installed.

Power Strips/Surge Suppressor



16-outlet Power Strip, 83-001

Ergotron Power Strips and Surge Suppressors can be mounted to any LAN Organizer system. Power Products feature sturdy aluminum housing and a 15' cord.

Part Number	Description	Length	Protection	Circuit	Response Time
83-001	16-outlet Power Strip	48" (1219 mm)	Office grade	15 amp	N/A
83-002	6-outlet Power Strip	12" (305 mm)	Office grade	15 amp	N/A
83-008*	10-outlet Power Strip	48" (1219 mm)	Office grade	20 amp	N/A
83-006	6-outlet Surge Suppressor	14" (356 mm)	Computer grade surge	2-stage, 15 amp	One nanosecond
83-025-100	8-outlet Horizontal Mount Power Strip	24" (610 mm)	Office grade	15 amp	N/A
83-026-100	12-outlet Horizontal Mount Power Strip	36" (914 mm)	Office grade	15 amp	N/A

* Requires a 20 amp receptacle/outlet.

Notes

Maximize the effectiveness of your computer systems with Ergotron Products

Since 1982, Ergotron has designed and engineered products specifically for improving the human interface with computers. Innovative engineering concepts incorporate the human factor into each and every product. With our patented Monitor Suspension technology as the core, Ergotron designs Mounting Solutions that consistently meet the ever changing needs of our customers.

Our experienced Sales Representatives will work with you to define your requirements and custom configure standard components to cost-effectively meet those requirements. If you do not see a product that meets your requirements, call us and we will tailor a solution to your needs.

© 2004 Ergotron, Inc.
rev. 10/14/04 870-03-006

Ergotron, Inc.: St. Paul, MN; (800) 888-8458;
www.ergotron.com; sales@ergotron.com

Ergotron Europe: Amsterdam, The Netherlands;
Tel. +31 20 312.29.39; info.eu@ergotron.co m

Ergotron Canada: Calgary, Alberta;
(800) 267-9912; info.ca@ergotron.com

ERGOTRON®